Government of the Peopl's Republic of Bangladesh

National TB Control Programme

Programmatic Management of Drug Resistant Tuberculosis (PMDT)

Quarterly Report of Culture and DST Results from NTRL/RTRLs

(page 1 of 4)

Name of the reporting unit	Reporting period : Month:
Division	Date of centre establishment:
District	Date of centre functioning :
Organization	
Name and designation of the person completing the report	
Date of completion of the form	
Signature	

						Тур	e of Patient :						
LPA	Failures of CAT I (Remain Positive at month 5 or later/ Smear negative patients become smear positive at month 2)	Failures os CAT II (Remain positive at month 5 or 8)	Non converters of CAT 11 (remain positive at month 3)	Non converters of CAT I (remain positive at month 2)	Relapses (CAT i)	Relapses (CAT ii)	Treatment after loss to follow up (CAT ii)	Treatment after loss to follow up (CAT ii)	Close contacts of DR TB patient with symptoms	HIV infected person with TB S/S	*Others (Specify) i) Pulmonary, clinically diagnosed ii) Extra pulmonary iii) New pulmonary, bacteriologically confirmed	Presumptive Smear Negative TB cases	Total
	Column (1)	Column (2)	Column (3)	Column (4)	Column (5)	Column (6)	Column (7)	Column (8)	Column (9)	Column (10)	Column (11)	Column (12)	
Presumptive TB & DR TB tested													
MTB detected													
MDR TB (HR)													
RRTB													
H Mono resistance													
Others (specify)													
Others (specify)													
Others (specify)													
Total													

Government of the Peopl's Republic of Bangladesh National TB Control Programme Programmatic Management of Drug Resistant Tuberculosis (PMDT)

Quarterly Report of Culture and DST Results from NTRL/RTRLs

(page 2 of 4)

						Type of Patie	nt						
Liquid culture	Failures of CAT I (Remain Positive at month 5 or later/ Smear negative patients become smear positive at month 2) Column (1)	Failures os CAT II (Remain positive at month 5 or 8)	Non converters of CAT 1I (remain positive at month 3)	Non converters of CAT I (remain positive at month 2)	Relapses (CAT i) Column (5)	Relapses (CAT ii)	Treatment after loss to follow up (CAT ii)	Treatment after loss to follow up (CAT ii)	Close contacts of DR TB patient with symptoms	HIV infected person with TB S/S	*Others (Specify) i) Pulmonary, clinically diagnosed ii) Extra pulmonary iii) New pulmonary, bacteriologically confirmed Column (11)	Presumptive Smear Negative TB cases	Total
Presumptive TB/DR TB tested													
Total MTB complex													
Susceptible to all first line drugs													
MDR (HR)													—
HRES													
HRS													
HRE													
HR													
													—
HR, E and/or S undefined													
MDR + Km (or Cm or Ak)													
MDR + Fluoroquinolone (FQ)													
MDR + other second line													
MDR + FQ -r injectable (XDR)													
Resistant against 3 drugs non-MDR													<u> </u>
HES													
RES													
Resistant against 2 drugs non-MDR													
HE													
HS													
ES													
RS													
RE													
Resistant to 1 drug													
Н													
R													
Е													
S													
Total													

Government of the Peopl's Republic of Bangladesh National TB Control Programme

Programmatic Management of Drug Resistant Tuberculosis (PMDT)

Quarterly Report of Culture and DST Results from NTRL/RTRLs

(page 3 of 4)

					Type o	f Patient							
Lowestein-Jensen Media	Failures of CAT I (Remain Positive at month 5 or later/ Smear negative patients become smear positive at month 2)	Failures os CAT II (Remain positive at month 5 or 8)	Non converters of CAT 1I (remain positive at month 3)	Non converters of CAT I (remain positive at month 2)	Relapses (CAT i)	Relapses (CAT ii)	Treatment after loss to follow up (CAT ii)	Treatment after loss to follow up (CAT ii)	Close contacts of DR TB patient with symptoms	HIV infected person with TB S/S	*Others (Specify) i) Pulmonary, clinically diagnosed ii) Extra pulmonary iii) New pulmonary, bacteriologically confirmed	Presumptive Smear Negative TB cases	Total
	Column (1)	Column (2)	Column (3)	Column (4)	Column (5)	Column (6)	Column (7)	Column (8)	Column (9)	Column (10)	Column (11)	Column (12)	
Presumptive TB/DR TB tested													
Total MTB complex													
Susceptible to all first line drugs													
MDR(HR)													
HRES													
HRS													
HRE													
HR													
HR, E and/or S undefined													
MDR + Km (or Cm or Ak)													
MDR + Fluoroquinolone (FQ)													
MDR + other second line													
MDR + FQ -r injectable (XDR)													
Resistant against 3 drugs non-MDR													
HES													
RES													
Resistant against 2 drugs non-MDR													
HE													
HS													
ES													
RS													
RE													
Resistant to 1 drug													
Н													
R													
E													
S													
Total													

Government of the Peopl's Republic of Bangladesh National TB Control Programme Programmatic Management of Drug Resistant Tuberculosis (PMDT) Quarterly Report of Culture and DST Results from NTRL/RTRLs (page 4 of 4)

Enrolment status of diagnosed DRTB patients of the reporting quarter:

DR TB detection and admission status	Number
Total RR TB patient detected	
Total RR TB patient enrolled	
Total MDR TB patient detected	
Total MDR TB patient enrolled	
Total XDR TB patient detected	
Total XDR TB patient enrolled	
Total OtherDR TB patient detected	
Total OtherDRTB patient enrolled	

Treatment monitoring (Follow up	o)
No. of patient tested	
No. of sample tested	
Follow up positive at month 4	

Date of completion of this form:
Name of the coordinator:
Designation of the coordinator:
Organization: Cell phone no:
Signatue of the coordinator:
Date: