

NATIONAL TUBERCULOSIS CONTROL PROGRAM

Directorate General of Health Services, Bangladesh

Requisition form for First Line TB Drugs

TB 08

Year:

Quarter:

Name of Health Facility:

City/District/Upazila:

Name & Designation of the person filling the form:

Contact No. :

Name of the UH&FPO/Center Chief:

Contact No. :

Number of registered cases during the previous quarter						
Adults (>15 Years)				Children (<15 Years)		
				Child Cat-I (Adult Formulation) = (c)	Child Cat-I (Dispersible formulation) = (d)	
New/Category-I = (a)	Re-treatment = (b)					
All New/Cat-I Cases together (P+, P-, EP, Meningitis, Bone & Neurological TB)	P+ve (b1)	P-ve (b2)	EP (b3)	Meningitis, Bone & Neurological TB (b4)		
					<5 Years Child Registered for IPT (e)	

Drug requisitions estimation:

Drugs	Quantity required for one quarter			Total Required Quarterly (+Buffer) (i)=2X(h)	Existing Balance (j)	Expiry date	Amount to be supplied = (i) - (j)	Actual Quantity Requested	Remarks
	Cat-I = (f)	Re-treatment = (g)	Total (h)= (f+g)						
4 FDC (R150/H75/E275/Z400)	= (a+c)X180	= (b1+b2+b3)X540+b4X1080							
2 FDC-Adult (R150/H75)	= (a+c)X360								
3 FDC-Child (R75/H50/Z150) (Dispersible)	= dX180								
2 FDC-Child (R75/H50) (Dispersible)	= dX360								
Ethambutol 100 mg	= dX180/2								
Levofloxacin 500 mg		= (b1+b3)X270+b4X540							
Levofloxacin 250 mg		= (b1+b3)X540+b4X1080							
Levofloxacin 100 mg									
Syp. Levofloxacin 125 mg/5ml									
Isoniazid 100 mg for IPT (Dispersible)	= eX360								
Isoniazid 300 mg									
Rifampicin 450 mg									
Rifampicin 300 mg									
Rifampicin 150 mg									
Pyrazinamide 500 mg									
Pyrazinamide 400 mg									
Ethambutol 400 mg									

Note:

1. Multiply the number of patients (a/b/c/d/e) in each treatment category with the number needed for treatment of one patient.
2. The quantity includes buffer stock (100%) for a quarter.
3. Indicate the existing balance from the drug ledger at the end of the previous quarter.
4. Stock of minimum one patient's medicine for each category should be ensured at all time even there was no patient during previous quarter, especially for Re-treatment and Child TB.
5. Over stock should be avoided by redistribution of medicines to the nearest low stock facilities before preparing request for next quarter, if there is any stock-out, the actual duration should be mentioned in the remarks columns by days.

Prepared by: _____ Signed by UH&FPO/Center Chief: _____

Checked by: _____ Counter Sign by CS/Controlling Authority: _____